

APPENDIX A. Design Drawings

Sheet Index

Sheet 1 Vicinity Map

Sheet 2 Individual Areas of Activity Plan View

Sheets 3-18 WSDOT Road Raising Plan Views

Sheet 19 Highway Pull-Out Plan View

Sheets 20-23 Corps Grading, Cross Dike, and Dike Removal Plan Views

Sheet 24-25 Wetland Areas and Designations

Sheets 26-29 NRCS WRP Site #1 Plan Views

Sheets 30-35 NRCS WRP Site #2 Plan Views

Sheets 36-37 WSDOT Road Raising Cross Sections

Sheet 38 Highway Pull-Out Cross Sections


Sheets 39-40 Corps Grading, Cross Dike, and Dike Removal Cross Sections

Sheets 41-45 NRCS WRP Site #1 Cross Sections

Sheets 46-51 NRCS WRP Site #2 Cross Sections

Sheets 52-53 Bone River Borrow Site Location Map and Grading Plan

PACIFIC
COUNTY



PURPOSE: Estuarine Restoration

PROPOSED: Restore Estuarine Habitat

DATUM: NAVD 88, 8.4' = MLLW 9.9'

ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS

WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE

PROJECT LOCATION:

Potters Slough vicinity, 1 mile

north of South Bend, Pacific County, WA

APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.


Sheet 1 of 51. DATE: May, 2004.

VICINITY MAP

PROJECT PARTICIPANTS. INDIVIDUAL AREAS OF ACTIVITY.



NOTE:- Eight historic primary channels were on site. However only 5 will be deepend as part of the proposed project.



PURPOSE: Estuarine Restoration

PROPOSED: Restore Estuarine Habitat

DATUM: NAVD 88, 8.4' = MLLW 9.9'

ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS

WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE


PROJECT LOCATION:

Potters Slough vicinity, 1 mile

north of South Bend, Pacific County, WA

APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 2 of 51. DATE: May, 2004.




PLAN VIEW

US101 MP51.30 TO MP51.37
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by
raising road, filling borrow
ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND
WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1
mile north of South Bend,
Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT
NRCS., DU.
Sheet 3 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY


QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER



- FILL - FILL

- - - - -

— PROP MHHW —


0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.37 TO MP51.45
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 4 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —


— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.45 TO MP51.52
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by
raising road, filling borrow
ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND
WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1
mile north of South Bend,
Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT
NRCS., DU.
Sheet 5 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —

— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.52 TO MP51.60
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 6 of 51. DATE: May, 2004.

MATCH LINE STA.1032+00

+00

1033+00

1034+00

1035+00

1036+00

MATCH LINE STA.1036+00

LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —

— PROP MHHW —


0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.60 TO MP51.67
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 7 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

—— PROP MHHW ——

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.67 TO MP51.75
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 8 of 51. DATE: May, 2004.

MATCH LINE STA.1040+00

+00

1041+00

1042+00


1043+00

1044

MATCH LINE STA.1044+00

LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER


INV — INV — INV

— FILL — FILL
— — —
— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.75 TO MP51.83
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 9 of 51. DATE: May, 2004



LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER


INV — INV — INV
— FILL — FILL
— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.83 TO MP51.90
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 10 of 51. DATE: May, 2004.



TYPICAL ROADWAY SECTION
SEE SECTION VIEW SHEET

LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —

— PROP MHHW —


0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.90 TO MP51.98
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 11 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV
— FILL — FILL
— PROP MHHW —


0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP51.98 TO MP52.06
(US101 MP52.51 = STA.1083+78.26)



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 12 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY


QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER




0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.06 TO MP52.13
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 13 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER


INV — INV — INV
— FILL — FILL
— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.13 TO MP52.21
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 14 of 51. DATE



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —


— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.21 TO MP52.28
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by
raising road, filling borrow
ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND
WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1
mile north of South Bend,
Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT
NRCS., DU.
Sheet 15 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT

(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS

(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS

(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL

— — — — —


— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.28 TO MP52.36
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 16 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER


INV — INV — INV
— FILL — FILL
— PROP MHHW —

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.36 TO MP52.43
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by
raising road, filling borrow
ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:
WASH. DEPT. OF FISH AND
WILDLIFE, & NRCS
PROJECT LOCATION:
Potters Slough vicinity, 1
mile north of South Bend,
Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT
NRCS., DU.
Sheet 17 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY

QUARRY SPALL OUTLET PAD

PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')

BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')

EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')

PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV



— FILL — FILL


—— PROP MHHW ——

0 25 50
SCALE IN FEET

PLAN VIEW

US101 MP52.43 TO MP52.51
(US101 MP52.51 = STA.1083+78.26)

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat by raising road, filling borrow ditches, and removing dike
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS: WASH. DEPT. OF FISH AND WILDLIFE, & NRCS
PROJECT LOCATION: Potters Slough vicinity, 1 mile north of South Bend, Pacific County, WA
APPLICATION BY: WDFW., USACE., WSDOT NRCS., DU.
Sheet 18 of 51. DATE: May, 2004.



LEGEND

WETLANDS BOUNDARY
QUARRY SPALL OUTLET PAD
PROPOSED ROADWAY FOOTPRINT
(VARIES 75'-135', AVG., 120')
BORROW DITCH FILL LIMITS
(VARIES 136'-182', AVG., 160')
EXISTING ROADWAY FOOTPRINTS
(VARIES 79'-93', AVG., 87')
PROPOSED MEAN HIGHER HIGH WATER

INV — INV — INV
— FILL — FILL
— PROP MHHW —


END CONSTRUCTION
MP52.51 = STA.1083+78.26

0 25 50
SCALE IN FEET

NOTES:

1. DATUM NAVD 88. NRCS CONTROL POINT 33, ELEV 11.90 AND DOT POINT 21, ELEV 7.10. CONTOURS ARE 1' FINISHED GRADE.

2. GRASS SEED AND MULCH IN ACCORDANCE WITH SPECIFICATIONS FOR ALL EXPOSED SOIL.



QUANTITY SCHEDULE:

CRUSHED BORROW	1750 CY
COMMON BORROW	300 CY
CSBC	90 CY
ACP	54 CY
PRE-CAST WHEELSTOP	5 EA
EXTRUDED CURB	200 LF
PAINT STRIPING	130 LF
GRASS SEED AND MULCH	0.15 AC

WILLAPA ACCESS
SITE PLAN

WASHINGTON DEPT. of FISH & WILDLIFE
800 CAPITOL WAY N
OLYMPIA, WA 98501 - 1091

ENG. PROJECT NO.

DATE: MAY, 2004 SHEET 19 OF 51

PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:

US ARMY CORP OF ENGINEERS PLAN


WASH. DEPT. OF FISH & WILDLIFE, NRCS
WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE

PROJECT LOCATION:

Potters Slough vicinity, 1 mile
north of South Bend, Pacific County, WA

APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 20 of 51. DATE: May, 2004.



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat
DATUM: NAVD 88, 8.4' = MLLW 9.9'

ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS

WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE

PROJECT LOCATION:

Potters Slough vicinity, 1 mile

north of South Bend, Pacific County, WA



APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 21 of 51. DATE: May, 2004.

US ARMY CORP OF ENGINEERS PLAN

RM 1

X



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS
WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE



PROJECT LOCATION:

Potters Slough vicinity, 1 mile
north of South Bend, Pacific County, WA

APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 22 of 51. DATE: May, 2004.

US ARMY CORP OF ENGINEERS PLAN



PURPOSE: Estuarine Restoration
PROPOSED: Restore Estuarine Habitat
DATUM: NAVD 88, 8.4' = MLLW 9.9'
ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS
WASH. DEPT OF TRANSPORTATION, & ROBERT ROSE



PROJECT LOCATION:

Potters Slough vicinity, 1 mile
north of South Bend, Pacific County, WA



APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 23 of 51. DATE: May, 2004.

US ARMY CORP OF ENGINEERS PLAN




WETLAND AREAS & DESIGNATIONS




0 500 1000
SCALE IN FEET

PURPOSE: Estuarine Restoration
 PROPOSED: Restore Estuarine Habitat
 DATUM: NAVD 88, 8.4' = MLLW 9.9'
 ADJACENT PROPERTY OWNERS:
 WASH. DEPT. OF FISH & WILDLIFE, NRCS
 WASH. DEPT. OF TRANSPORTATION, & ROBERT ROSE
 PROJECT LOCATION:
 Potters Slough vicinity, 1 mile
 north of South Bend, Pacific County, WA
 APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.
 Sheet 24 of 51. DATE: May, 2004.

WETLAND AREAS & DESIGNATIONS



RM 2 x



PURPOSE: Estuarine Restoration

PROPOSED: Restore Estuarine Habitat

DATUM: NAVD 88, 8.4' = MLLW 9.9'

ADJACENT PROPERTY OWNERS:

WASH. DEPT. OF FISH & WILDLIFE, NRCS

WASH. DEPT. OF TRANSPORTATION, & ROBERT ROSE

PROJECT LOCATION:


Potters Slough vicinity, 1 mile


north of South Bend, Pacific County, WA

APPLICATION BY: WDFW., USACE., WSDOT., NRCS., & DU.

Sheet 25 of 51. DATE: May, 2004.

NOTE: Wetlands B, C, & E are outside of project limits.





PacNW Field Office (360)885-2011

PROJECT NO. WA-44-45


NRCS WRP EASEMENT SITE #1
POND 3 SHEET 29 OF 51, DATE: MAY, 2004.

DESIGNED BY: J.SPOLAR

DRAWN BY: DMC/J.SPOLAR

SURVEYED BY: DU

CHECKED BY:



**DUCKS
UNLIMITED
INC.**

PacNW Field Office (360)885-2011

PROJECT NO. WA-116-1

**NRCS WRP EASEMENT
SITE #2**


TOPO SHEET 30 OF 51. DATE: MAY, 2004

DESIGNED BY: J.SPOLAR

DRAWN BY: DMC/J.SPOLAR

SURVEYED BY: DU

CHECKED BY:



Sheet **2**




PacNW Field Office (360)885-2011

PROJECT NO. WA-116-1

**NRCS WRP EASEMENT
SITE #2
PLAN/TOPO DESIGN SHEET 31 OF 51. DATE: MAY, 2004.**

DESIGNED BY: J.SPOLAR
DRAWN BY: DMC/J.SPOLAR
SURVEYED BY: DU
CHECKED BY:



PacNW Field Office (360)885-2011

PROJECT NO. WA-116-1

**NRCS WRP EASEMENT
SITE #2**

PLAN/TOPO DESIGN SHEET 32 OF 51. DATE: MAY, 2004.

DESIGNED BY: J.SPOLAR

DRAWN BY: DMC/J.SPOLAR

SURVEYED BY: DU

CHECKED BY: